

Sehr geehrte Damen und Herren

In den letzten Monaten habe ich Sie persönlich besucht und das Ventrain-Beatmungssystem vorgestellt.

Gerne erlaube ich mir, Sie mit den aktuellen Informationen aus dem nachfolgenden Newsletter der Herstellerfirma zu bedienen.


Unsere Firma wird am **SGI-SGAR-SGNOR-Kongress vom 15.-17. November in Basel** und am **11. St. Galler Airway Management Symposium vom 23.-24. November** mit einem Stand vertreten sein.

Es würde uns freuen Sie an einem der beiden Anlässe treffen zu dürfen.

Freundliche Grüsse

Edgar Sommer  
Medical Systems Solution  
[edgar.sommer@medicalss.net](mailto:edgar.sommer@medicalss.net)  
[www.medicalss.net](http://www.medicalss.net)

do you have trouble with viewing this e-mail, click here.



Dear all,

Since our previous call for cases, we are informed about two new cases with Ventrain. In both cases the patient was ventilated with Ventrain during elective ENT surgery: the removal of an upper airway obstruction. Please [click here](#) for a short description of these cases.

In the first case a transtracheal catheter is used, which is within the Intended Use of Ventrain. This case is published in more detail this month as a Letter to the Editor on the BJA website: [http://bj.oxfordjournals.org/forum/topic/brjana\\_el%3b9135](http://bj.oxfordjournals.org/forum/topic/brjana_el%3b9135) and will be published in BJA's paper issue of November.

In the second case, ventilation took place via an endotracheal catheter, which is outside the current Intended Use of Ventrain. Additionally, last weekend at the meeting of the Society for Airway Management (SAM) in Toronto, Canada, a poster was presented about a bench study of Ventrain with a cuffed jet ventilation catheter. Please note that off-label use is in no way promoted by Dolphys.

To further investigate the use of Ventrain – including ventilating via endotracheal tubes - we kindly ask you to inform us about any clinical case in which Ventrain is used. Please contact us via email or phone; refer to details below.

Depending on your response, we will investigate if we should and can extend our current Intended Use with endotracheal tubes. If yes, we might need additional clinical evidence. Please inform us when you are willing to help us with that evidence.

The Ventrain team

Caroline Abeln

Paola Vasters

Guido van der Reijden

Fabiënne Péters

Dirk van Asseldonk

---

**Dolphys Medical B.V.** De Lismortel 31 5612 AR Eindhoven The Netherlands  
T +31 (0)40 - 751 60 20 I [www.dolphys.com](http://www.dolphys.com) E [ventrain@dolphys.com](mailto:ventrain@dolphys.com)

[unsubscribe](#) | [change contact](#) | [privacy policy](#)